



MAGRAN
M E D I C A L



MJ SURGICAL®
Implanting Trust

Distribución oficial de
MJ Surgical en México.

CATÁLOGO DE PRODUCTOS

Logística y suministro de implantes, instrumentales,
equipos y materiales complementarios para
traumatología y ortopedia.

LoopLoc® CL Fixation System

Preloaded with braided UFiber #5 UFiber as a Pulling Suture and (#5 UFiber as a Flipping Suture) for added procedure efficiency.

One size Titanium button is available with multiple pre-measured loop sizes of 12, 15, 20, 25, 30, 35, 40mm lengths.


Can be used in Single Bundle soft tissue fixation, Double Bundle soft tissue fixation, Bone Tendon Bone fixation.



AT001.12	12 mm
AT001.15	15 mm
AT001.20	20 mm
AT001.25	25 mm
AT001.30	30 mm
AT001.35	35 mm
AT001.40	40 mm


LoopLoc® -II (Loop with UFiber Tape)

- LoopLoc-II available with preloaded UFiber Tape for Internal Brace technique.
- LoopLoc-II Protect natural graft and gives higher fixation strength.
- LoopLoc-II give benefit when graft is weak and thin.



AT084.12	12 mm
AT084.15	15 mm
AT084.20	20 mm
AT084.25	25 mm
AT084.30	30 mm
AT084.35	35 mm

SlideRope® Adjustable Loop



AT043.1

AT043.2

AT043.1	SlideRope Adjustable Loop (1 Side Suture)
AT043.2	SlideRope Adjustable Loop (2 Side Suture)
AT043.3	SlideRope Adjustable Loop (2 Side Suture With U Fiber Tape)

SlideRope Adjustable Loop provides ultra-strong fixation and is uniquely designed to help protect the graft during loop reduction.

SlideRope® -TAD Adjustable Loop for Tibial Attachable Disk



AT069 Adjustable Loop

- Loop for Tibial Attachable Disk can be used on all graft types and attach to a variety of disk configurations for fixation over "retroreamed" sockets or full tunnels with Tibial Attachable Disk.

Tibial Attachable Disk (TAD)



AT066.11	11 mm, Collar 4 mm
AT066.14	14 mm, Collar 7 mm
AT066.20	20 mm, Collar 9 mm

- Tibial Attachable Disk may be used for tibial fixation of the graft in Cruciate reconstruction technique for all Inside ACL reconstruction technique or for fixation of the graft over small bone tunnels created during transtibial ACL reconstruction

LoopLoc® -XL Extender Button




AT078

Tibial Suture Disk



AT008	Tibial Suture Disk	D'Hole
AT009	Tibial Suture Disk	Round Hole

Spiked Ligament Staple



AT005.S	Small
AT005.M	Medium
AT005.L	Large

- Ligament staples use for reduce the frequency of secondary removal due to patient discomfort caused by soft tissue irritation.
- Ligament spike staples is available in small, Medium and large size.

Interference Screws Cannulated

- Interference Screws are used for cruciate ligament reconstruction and indicated for soft tissue and BTB grafts.
- Interference Screws are cannulated, blunt threads. Round heads.

Interference Screws
Cannulated Titanium



AT007.07X20	7 x 20 mm
AT007.07X25	7 x 25 mm
AT007.07X30	7 x 30 mm
AT007.08X20	8 x 20 mm
AT007.08X25	8 x 25 mm
AT007.08X30	8 x 30 mm
AT007.09X20	9 x 20 mm
AT007.09X25	9 x 25 mm

AT007.09X30	9 x 30 mm
AT007.10X20	10 x 20 mm
AT007.10X25	10 x 25 mm
AT007.10X30	10 x 30 mm
AT007.11X20	11 x 20 mm
AT007.11X25	11 x 25 mm
AT007.11X30	11 x 30 mm

Interference Screws
Cannulated PEEK



AT020.07X20	7 x 20 mm
AT020.07X25	7 x 25 mm
AT020.07X30	7 x 30 mm
AT020.08X20	8 x 20 mm
AT020.08X25	8 x 25 mm
AT020.08X30	8 x 30 mm
AT020.09X20	9 x 20 mm
AT020.09X25	9 x 25 mm

AT020.09X30	9 x 30 mm
AT020.10X20	10 x 20 mm
AT020.10X25	10 x 25 mm
AT020.10X30	10 x 30 mm
AT020.11X20	11 x 20 mm
AT020.11X25	11 x 25 mm
AT020.11X30	11 x 30 mm

Loop Button



AT010 Loop Button

Tibial Post Fixation Screw 6.5mm



AT006.20	20 mm
AT006.25	25 mm
AT006.30	30 mm
AT006.35	35 mm
AT006.40	40 mm

- Tibia Post Screw Flat head design eliminates need for washer when tying sutures around a post.

Spiked Washer



AT011	Spiked Washer	4.0 mm	For Cancellous Screw
AT012	Spiked Washer	6.5 mm	For Cancellous Screw

Low Profile Cancellous Screw




4.0mm		6.5mm	
AT013.25	25 mm	AT014.25	25 mm
AT013.30	30 mm	AT014.30	30 mm
AT013.35	35 mm	AT014.35	35 mm
AT013.40	40 mm	AT014.40	40 mm
AT013.45	45 mm	AT014.45	45 mm
		AT014.50	50 mm
		AT014.55	55 mm
		AT014.60	60 mm

- Low profile cancellous screw has an extremely low profile head to reduce soft tissue irritation.
- Low profile cancellous screw is available in 4.0mm and 6.5mm Diameter and various length also.


LoopStitch™ (All Inside Meniscal Repair Device)




Curved



Straight



Reverse Curved



AT090.C	Curved
AT090.S	Straight
AT090.RC	Reverse Curved

- The limitations of the inside-out and outside-in repair techniques, and the need for intra-articular knot tying are eliminated in this system.
- White and Blue #2-0 UFIber suture provides strength while giving you the visualization needed to identify your repair.

In-line Deployment:

- LoopStitch features a simple and easy to use back (load) and forward (fire) deployment mechanism.
- Simply pull back on the thumb trigger or plunger to load the anchor, then push forward to deploy it.
- When deployed, you'll feel tactile feedback, you'll hear an audible "click,"

Variable depth setter:

- Adjusting penetration depth could not be easier than using the LoopStitch depth setter.
- Simply press down the depth lever and slide forward or back to the desired depth.

Multiple curve options:

- LoopStitch comes in 3 curves: Straight, Curved and Reverse Curved

Smooth sliding knot:

- The pre-tied, smooth sliding knot has been designed to easily slide as you tighten while balancing tension between the anchors.

Related Instruments

AT902.47	Sleeve For LoopStitch
AT902.48	Suture Cutter For LoopStitch, Disposable


Meniscal Repair Needles

UFiber#2-0 L:75cm,
 Straight Needle L:25cm

AT065.W	White
AT065.BK	White - Black
AT065.G	White - Green
AT065.BL	White - Blue



SHOULDER



Mini-AtnoX[®] - Suture Anchor


- Mini-AtnoX - Suture Anchors are titanium anchors available in 2.8mm and 3.5mm diameters and come preloaded with USP #2 UFiber.
- In most cases, the implant can be manually inserted using the handled version. A drill is available for use in hard bone if desired.
- For arthroscopic applications, Mini-AtnoX Anchor can be inserted through the small diameter Mini-AtnoX spear eliminating the need for a cannula.
- This is ideal for SLAP and subscapularis repairs where a small stab incision and percutaneous delivery of the implant is preferred.

AT056	Mini-AtnoX - Suture Anchor	2.8 mm	Titanium	(loaded with 1pc UFiber #2)
AT057	Mini-AtnoX - Suture Anchor	2.8 mm	Titanium	(loaded with 1pc UFiber #2 with needle)
AT058	Mini-AtnoX - Suture Anchor	3.5 mm	Titanium	(loaded with 1pc UFiber #2)
AT059	Mini-AtnoX - Suture Anchor	3.5 mm	Titanium	(loaded with 1pc UFiber #2 with needle)
AT086	Mini-AtnoX - Suture Anchor	3.5 mm	Titanium	(loaded with 2pc UFiber with needle)

Related Instruments

AT902.05	Ø2.2 mm Drill Bit for Mini-AtnoX 2.8 mm
AT902.02	Trocar for Mini-AtnoX 2.8 mm
AT902.03	Spear for Mini-AtnoX 2.8 mm

AT902.07	Ø2.8 mm Drill Bit for Mini-AtnoX 3.5 mm
AT902.11	Trocar for Mini-AtnoX 3.5 mm
AT902.10	Spear for Mini-AtnoX 3.5 mm



Super-AtnoX[®] - Suture Anchor

- Super-AtnoX - Suture Anchor is the unique design of the Titanium anchors feature with a cancellous screw thread and a small core diameter design to maximize pull-out strength and easy insertion in all bone conditions.
- Super-AtnoX - Suture Anchor has a sharp point making it possible to insert the anchor without tapping and is available in 5.0 and 6.5 mm diameters.
- Super-AtnoX - Suture Anchor comes with 2 or 3 UFiber (USP #2) with contrast colours code to identification UFiber and fixation of soft tissue.

AT023	Super-AtnoX - Suture Anchor	5.0 mm	Titanium	(loaded with 2pc UFiber #2)
AT048	Super-AtnoX - Suture Anchor	5.0 mm	Titanium	(loaded with 3pc UFiber #2)
AT038	Super-AtnoX - Suture Anchor	5.0 mm	Titanium	(loaded with 2pc UFiber #2 with needle)
AT024	Super-AtnoX - Suture Anchor	6.5 mm	Titanium	(loaded with 2pc UFiber #2)
AT039	Super-AtnoX - Suture Anchor	6.5 mm	Titanium	(loaded with 2pc UFiber #2 with needle)

Related Instruments

AT902.09	Ø3.2 mm Drill Bit for Super-AtnoX 5.0 mm
AT902.17	Spear for Super-AtnoX 5.0 mm

AT902.20	Ø3.2 mm Drill Bit for Super-AtnoX 6.5 mm
AT902.19	Ø3.2 mm Drill Bit for Super-AtnoX 6.5 mm



Mini-Solaris® - Dual Thread Suture Anchor


- The unique thread design of the Mini-Solaris - Dual Threaded Suture Anchors provides extraordinary pull-out strength and easy insertion in all bone conditions.

AT015	Mini-Solaris - Dual Thread Suture Anchor	2.8 mm	Titanium	(loaded with 1pc UFiber #2)
AT034	Mini-Solaris - Dual Thread Suture Anchor	2.8 mm	Titanium	(loaded with 1pc UFiber #2 with needle)
AT016	Mini-Solaris - Dual Thread Suture Anchor	3.5 mm	Titanium	(loaded with 1pc UFiber #2)
AT035	Mini-Solaris - Dual Thread Suture Anchor	3.5 mm	Titanium	(loaded with 1pc UFiber #2 with needle)

Related Instruments

AT902.14	Ø1.8 mm Drill Bit for Mini-Solaris 2.8 mm
AT902.02	Trocar For Mini-Solaris 2.8 mm
AT902.03	Spear for Mini-Solaris 2.8 mm

AT902.15	Ø2.5 mm Drill Bit for Mini-Solaris 3.5 mm
AT902.10	Trocar for Mini-Solaris 3.5 mm
AT902.11	Spear for Mini-Solaris 3.5 mm



Super-Solaris® - Dual Thread Suture Anchor

- The unique thread design of the Super-Solaris - Dual Threaded Suture Anchor provides extraordinary pull-out strength and easy insertion in all bone conditions, and provides Superior solutions to the orthopaedic surgeon.

AT017	Super-Solaris - Dual Thread Suture Anchor	5.0 mm	Titanium	(loaded with 2pc UFiber #2)
AT047	Super-Solaris - Dual Thread Suture Anchor	5.0 mm	Titanium	(loaded with 3pc UFiber #2)
AT036	Super-Solaris - Dual Thread Suture Anchor	5.0 mm	Titanium	(loaded with 2pc UFiber #2 with needle)
AT018	Super-Solaris - Dual Thread Suture Anchor	6.5 mm	Titanium	(loaded with 2pc UFiber #2)
AT037	Super-Solaris - Dual Thread Suture Anchor	6.5 mm	Titanium	(loaded with 2pc UFiber #2 with needle)

Related Instruments

AT902.13	Ø2.5 mm Drill Bit for Super-Solaris 5.0 mm
AT902.17	Spear for Super-Solaris 5.0 mm

AT902.16	Ø3.5 mm Drill Bit for Super-Solaris 6.5 mm
AT902.19	Spear for Super-Solaris 6.5 mm

SHOULDER

LoopFix™- Soft Anchor



- LoopFix - Soft Anchor is made from ultra-high molecular weight polyethylene (UHMWPE).
- Once the anchor has been tapped into the pilot hole, deployment is achieved by pulling back the deployment mechanism.
- Do not require manual tensioning

AT085	LoopFix	Soft Anchor	1.8 mm	UFiber #2
AT095	LoopFix	Soft Anchor	2.8 mm	UFiber #2

Related Instruments

AT902.45 Spear For LoopFix Soft Anchor 1.8mm

AT902.46 Drill Bit Ø1.7mm for LoopFix Soft Anchor



Mini-Protoza-PK® - Suture Anchor (PEEK)

- Mini-Protoza-PK Suture Anchors are available in a variety of sizing and suture options.
- Mini-Protoza-PK is a non absorbable PEEK suture anchor with a material eyelet which provides superior abrasion resistance due to PEEK'S low coefficient of friction.
- Anchor insertion and delivery are made simple by drilling through a spear and inserting the anchor through the same spear into the drilled hole.

AT028	Mini-Protoza-PK Suture Anchor	2.8 mm	PEEK	(loaded with 1pc UFiber #2)
AT029	Mini-Protoza-PK Suture Anchor	3.0 mm	PEEK	(loaded with 2pc UFiber #2)
AT030	Mini-Protoza-PK Suture Anchor	3.5 mm	PEEK	(loaded with 2pc UFiber #2)
AT082	Mini-Protoza-PK Suture Anchor	3.0 mm	PEEK	(loaded with 2pc UFiber #2 with Needle)
AT083	Mini-Protoza-PK Suture Anchor	3.0 mm	PEEK	(loaded with 1pc UFiber #2 & 1pc UFiber Tape 1.4 mm with Needle)

Related Instruments

AT902.01 Ø2.4 mm Drill Bit for Mini-Protoza-PK 2.8 mm

AT902.02 Trocar for Mini-Protoza-PK 2.8 mm


AT902.03 Spear for Mini-Protoza-PK 2.8 mm

AT902.06 Ø2.6 mm Drill Bit for Mini-Protoza-PK 3.0 mm

AT902.08 Ø3.0 mm Drill Bit for Mini-Protoza-PK 3.5 mm

AT902.10 Trocar for Mini-Protoza-PK 3.0 mm & 3.5 mm

AT902.11 Spear for Mini-Protoza-PK 3.0 mm & 3.5 mm




Solaris-PK® - Suture Anchor (PEEK)

- Solaris-PK - Suture Anchor is a fully threaded suture anchor featuring dual threads to maximize cortical and cancellous fixation, has a covered saddle tip to protect the sutures and is cannulated to channel growth factors.
- Solaris-PK - Suture Anchor is manufactured with PEEK material which is a High-strength radiolucent and thermoplastic material with excellent biocompatibility and biostability characteristics.

AT070	Solaris-PK - Suture Anchor	4.5 mm	PEEK	(loaded with 2pc UFiber #2)
AT071	Solaris-PK - Suture Anchor	4.5 mm	PEEK	(loaded with 3pc UFiber #2)
AT072	Solaris-PK - Suture Anchor	4.5 mm	PEEK	(loaded with 1pc UFiber #2 and 1pc UFiber Tape 1.4 mm)
AT027	Solaris-PK - Suture Anchor	5.5 mm	PEEK	(loaded with 2pc UFiber #2)
AT049	Solaris-PK - Suture Anchor	5.5 mm	PEEK	(loaded with 3pc UFiber #2)
AT067	Solaris-PK - Suture Anchor	5.5 mm	PEEK	(loaded with 1pc UFiber #2 and 1pc UFiber Tape 1.4 mm)
AT079	Solaris-PK - Suture Anchor	4.5 mm	PEEK	(loaded with 2pc UFiber #2 with Needle)
At080	Solaris-PK - Suture Anchor	5.5 mm	PEEK	(loaded with 2pc UFiber #2 with Needle)

Related Instruments

AT902.41	Punch/Tap for Solaris-PK	4.5 mm	AT902.04	Punch/Tap for Solaris-PK	5.5 mm
AT902.42	Spear for Solaris-PK	4.5 mm	AT902.18	Spear for Solaris-PK	5.5 mm



NotLien-LR® Suture Anchor Knotless


- NotLien-LR Suture Anchor Knotless designed for use with UFiber or UFiber Tape in rotator cuff repair.
- The anchor is available with a PEEK body and a Titanium and PEEK eyelet. NotLien-LR Suture anchor can be used as the lateral row anchor in bridge techniques.
- The self-punching feature also helps maintain proper axial alignment of the Titanium eyelet anchor during its final insertion into the bone socket.
- It provides maximum pull-out and insertion strength while saving time.

AT063	NotLien-LRP Suture Anchor PEEK, Knotless	4.75 mm	PEEK Tip	(loaded with 1pc UFiber #2)
AT064	NotLien-LRT Suture Anchor PEEK, Knotless	4.75 mm	Titanium Tip	(loaded with 1pc UFiber #2)
AT041	NotLien-LRP Suture Anchor PEEK, Knotless	5.5 mm	PEEK Tip	(loaded with 1pc UFiber #2)
AT042	NotLien-LRT Suture Anchor PEEK, Knotless	5.5 mm	Titanium Tip	(loaded with 1pc UFiber #2)

Related Instruments

AT902.35	Punch/Tap for NotLien-LR	5.5 mm
AT902.43	Punch/Tap for NotLien-LR	4.75 mm
AT902.36	Punch for NotLien-LR	4.75 mm & 5.5 mm

SHOULDER



AT098	NotLien-PL Suture Anchor	2.4 mm	PEEK
AT099	NotLien-PL Suture Anchor	2.9 mm	PEEK
AT099.S	NotLien-PL Suture Anchor	2.9 mm (Small)	PEEK

Related Instruments

AT902.49	Trocar 2.4mm, 2.9mm, 3.5mm
AT902.50	Spear 2.4mm, 2.9mm, 3.5mm
AT902.53	Drill Bit Ø2.2mm, 2.4mm
AT902.54	Drill Bit Ø2.5mm, 2.9mm/2.9mm-Small
AT902.55	Drill Bit Ø3.0mm, 3.5mm

NotLien-PL Suture Anchor (PEEK) Knotless

The Knotless NotLien-PL Suture Anchor uniquely allows surgeons to adjust tension on the tissue intraoperatively, ensuring precise tissue reduction and fixation.

- NotLien-PL anchors are available in 2.4mm, 2.9mm, 3.5mm and 4.5mm sizes.
- The 2.4mm and 2.9mm NotLien-PL anchors are used for labral repair and Hand & Wrist.
- The 3.5mm NotLien-PL anchor during rotator cuff or instability procedures.
- The 4.5mm NotLien-PL anchor used for rotator cuff repair.

Each anchor has a PEEK eyelet for superior strength during insertion to allow firm tissue tensioning and shifting.

AT100	NotLien-PL Suture Anchor	3.5 mm	PEEK
AT101	NotLien-PL Suture Anchor	4.5 mm	PEEK
AT101.SP	NotLien-PL Suture Anchor	4.5 mm	PEEK

AT902.57	Punch 3.5mm
AT902.51	Trocar 4.5mm
AT902.52	Spear 4.5mm
AT902.56	Drill Bit Ø4.0mm, 4.5mm/4.5mm-Small
AT902.58	Punch 4.5mm



NotLien® Push in Suture Anchor (PEEK) Knotless

- NotLien Push In Suture Anchor Knotless designed for use with UFiber.
- The anchor is available with PEEK body eyelet.

AT055	Mini-NotLien - Push In Suture Anchor	2.8 mm	PEEK
AT074	Mini-NotLien - Push In Suture Anchor	3.5 mm	PEEK
AT060	Super-NotLien - Push In Suture Anchor, Knotless	4.5 mm	PEEK
AT075	Super-NotLien - Push In Suture Anchor, Knotless	5.5 mm	PEEK

Related Instruments

AT902.27	Drill Bit Ø2.4 mm for Mini-NotLien 2.8 mm
AT902.28	Slotted Sleeve for Mini-NotLien 2.8 mm
AT902.26	Drill Bit Ø3.7 mm for Super-NotLien 4.5 mm
AT902.29	Slotted Sleeve for Super-NotLien 4.5 mm

AT902.39	Drill Bit Ø3.0 mm for Mini-NotLien 3.5 mm
AT902.40	Slotted Sleeve for Mini-NotLien 3.5 mm
AT902.39	Drill Bit Ø4.7 mm for Super-NotLien 5.5 mm
AT902.40	Slotted Sleeve for Super-NotLien 5.5 mm




NotLien-BT Suture Anchor PEEK For Biceps Tenodesis Knotless

- NotLien-BT Suture Anchor are designed to support all arthroscopic proximal biceps tenodesis techniques. The efficient system is designed to save steps and minimize the length of the procedure.
- NotLien-BT Suture Anchor are available with PEEK tip that is used to steer the biceps tendon to the bottom of the bone socket without the need to externalize or whipstitch the tendon, There is no need to predetermine tendon length, as position and tension can easily be set and visualized prior to final implant insertion.
- Strong fixation is obtained by simply advancing the preloaded NotLien-BT tenodesis screw.
- The system also features Tenodesis Fluted Solid reamers with built-in guide tips that eliminate the need to ream over a guide pin.

AT068.6	NotLien-BT - Suture Anchor PEEK, Knotless	6.0 mm	PEEK Tip	(loaded with 1pc UFiber #2)
AT068.7	NotLien-BT - Suture Anchor PEEK, Knotless	7.0 mm	PEEK Tip	(loaded with 1pc UFiber #2)
AT068.8	NotLien-BT - Suture Anchor PEEK, Knotless	8.0 mm	PEEK Tip	(loaded with 1pc UFiber #2)
AT068.9	NotLien-BT - Suture Anchor PEEK, Knotless	9.0 mm	PEEK Tip	(loaded with 1pc UFiber #2)

Related Instruments

AT902.30	Fluted Reamer Solid Ø6.0 mm	AT902.33	Fluted Reamer Solid Ø9.0 mm
AT902.31	Fluted Reamer Solid Ø7.0 mm	AT902.34	Graft Sizer for Biceps Tendon Ø6,7,8 & 9 mm
AT902.32	Fluted Reamer Solid Ø8.0 mm		



Micro-Refix® - Suture Anchor

- Micro-Refix - Suture Anchors provide greater opportunity for bone contact than barbed anchors and also provide a path for removal. Providing excellent strength in a smaller size.
- A short inserter and self-Drilling design create a reliable and quick procedure with no additional instrumentation needed.
- Designed for use in the hand, wrist, and elbow for soft tissue reattachment procedures such as UCL repair of the thumb, ligament repair for scapholunate disassociation in the wrist, as well as ECRB repair in tennis elbow debridement, this device can also be used to repair lateral ankle ligaments for a modified Brostrom procedure.


AT061	Micro-Refix - Suture Anchor	1.8 mm	Titanium	(loaded with 1pc UFiber #2-0 with Needle)
AT062	Micro-Refix - Suture Anchor	2.0 mm	Titanium	(loaded with 1pc UFiber #2-0 with Needle)
AT040	Micro-Refix - Suture Anchor	2.4 mm	Titanium	(loaded with 1pc UFiber #2-0 with Needle)

Related Instruments

AT902.24	Drill Bit Ø1.2 mm for Micro-Refix 2.4 mm
AT902.25	Slotted Sleeve for Micro-Refix 1.8 mm, 2.0 mm, 2.4 mm

SHOULDER

SlideRope® -AC-Button with Adjustable Loop, Knotless for Acromioclavicular Joint



AT077.NF	Non-Fracture
AT077.F	Fracture

- SlideRope-AC system is available preloaded adjustable knotless loop with 2 buttons onto an inserter.
- 2 options of SlideRope-AC available;
- 1 Oval shape button with Collar: Can be used directly for AC joint reconstruction. Allows surgeons to perform an open or mini-open “push- through” technique without having to use a scope or access beneath the coracoid.
- 2 Round Button: Can be used in conjunction with Distal Clavicle Plate and gives the surgeon knotless coracoid fixation to help stabilize distal clavicle fractures.

Related Instruments


AT902.44	Drill Bit Ø3.6mm For SlideRope-AC For Acromioclavicular joint
----------	---

SlideRope-AC Bone Button



AT102 SlideRope-AC Bone Button, for Acromioclavicular Joint

- The precontoured Titanium SlideRope-AC Bone button allows the use of knotless SlideRope or multiple UFiber sutures for acromioclavicular AC joint reduction.
- The button is attached to the sutures independently; only suture material will be passed through the clavicle and coracoid tunnels, allowing the repair to be completed through smaller tunnels.




UFiber™ Tape

- UFiber Tape is an ultra-high strength 2 mm width tape using a similar long chain polyethylene structure as the UFiber. In addition to high demand applications like AC joint reconstruction, the broad footprint of the UFiber Tape is appropriate for repairs in degenerative cuff tissue where tissue pull-through may be a concern.

AT073	UFiber Tape Size 1.4 mm, White-Black
-------	--------------------------------------

AT054	UFiber Tape Size 2.0 mm, White-Black
-------	--------------------------------------



UFiber™

- UFiber is a braided surgical Fiber wire prepared from ultrahigh molecular weight long chain linear polyethylene.
- UFiber elicit a minimal of inflammatory reaction in tissues, followed by gradual encapsulation of the UFiber by the fibrous tissue.
- UFiber is non-absorbable and there are no significant changes in tensile strength retention known to occur in vivo.
- UFiber is preloaded on many MJ Surgical Anchors that have Fiber wires. UFiber represents a major advancement in arthroscopic surgery

AT050	UFiber, #2, with Needle, White
-------	--------------------------------

AT051	UFiber, #2, with Needle, White-Black
-------	--------------------------------------

AT052	UFiber, #5, with Needle, White
-------	--------------------------------

AT053	UFiber, #5, with Needle, White-Black
-------	--------------------------------------

AT026	UFiber #2-0 with Needle, White
-------	--------------------------------

AT091	UFiber #2-0 with Needle, White-Green
-------	--------------------------------------

AT092	UFiber #2-0 with Needle, White-Black
-------	--------------------------------------

AT093	UFiber #2 with Needle, White-Green
-------	------------------------------------

AT094	UFiber #2 with Needle, White-Blue,
-------	------------------------------------




Disposable Cannula

AT021	Disposable Cannula Trocar Point 8.25 X 70 mm Green
-------	--

AT022	Disposable Cannula Trocar Point 8.25 X 90 mm Red
-------	--

FOOT AND ANKLE

SlideRope® -AS-Button with Adjustable Loop, Knotless for Ankle Syndesmosis Repair




Related Instruments

AT902.44	Drill Bit Ø3.6mm For SlideRope-as For Ankle Syndesmosis
----------	---

Tenodesis Screw

AT089.40X10	4.0 X 10mm
AT089.40X15	4.0 X 15mm
AT089.45X10	4.5 X 10mm
AT089.45X15	4.5 X 15mm
AT089.50X10	5.0 X 10mm
AT089.50X15	5.0 X 15mm
AT089.55X15	5.5 X 15mm
AT089.55X20	5.5 X 20mm
AT089.60X15	6.0 X 15mm
AT089.60X20	6.0 X 20mm
AT089.70X20	7.0 X 20mm
AT089.70X25	7.0 X 25mm
AT089.80X20	8.0 X 20mm
AT089.80X25	8.0 X 25mm



- Tenodesis Screw System was developed to provide surgeons an alternative fixation option for intraoperative tissue reattachment and fixation in the foot and ankle (Achilles repair, lateral stabilizations, and FDL / FHL tendon transfers), Hand and Wrist (Ligament reconstruction tendon interposition (LRTI), scapholunate ligament reconstruction, and collateral ligament reconstruction), Elbow (UCL and distal biceps tendon repair), Shoulder (Proximal biceps tendon repair and rotator cuff repair),
- The system includes seven diameters of implants with varying lengths to accommodate differing patient anatomies. Available diameters of Ø4 - 8mm and lengths from 10-25mm.
- The implant thread form is also optimized to minimize implant migration and loss of tension.
- Instrumentation included in the system was designed to streamline the procedure and minimize complications associated with tensioning and passing of suture, and allows for a through and through or blind tunnel approach.
- Implant specific cannulated drills and tissue protectors are provided to help reduce imprecision when drilling, allowing for intended fit of implant and tendon.
- The tendon size, drill and implant diameters are one to one—there are no necessary calculations to be completed. A novel trilobe driver engagement extends through the cannulation of the implant to facilitate accurate implant insertion and help maximize torque transfer between driver and implant.

Latarjet Screw



3.75 mm Partially Threaded


AT087.30	30mm
AT087.32	32mm
AT087.34	34mm
AT087.36	36mm
AT087.38	38mm
AT087.40	40mm

3.75mm Fully Threaded

AT088.30	30mm
AT088.32	32mm
AT088.34	34mm
AT088.36	36mm
AT088.38	38mm
AT088.40	40mm

- Latarjet, Glenoid Bone Loss Set was designed to help surgeons address the complex issue of shoulder instability such as anterior glenoid bone loss, bony Bankart, glenoid fracture or engaging Hill-Sachs lesions.
- Unique instrumentation set and implants to make the Latarjet technique more convenient.
- Self-drilling and self-tapping cannulated titanium screws (available in partially and fully threaded)
- Coracoid Drill guides helps in grasping coracoid process and prepare graft.
- Long nesting guides that allow percutaneous screw placement for bony Bankart or glenoid fracture
- Retractors to simplify exposure


High Tibial Osteotomy Plate



- High Tibia Osteotomy is becoming an increasingly popular method to treat unicompartmental OA of the knee.
- Three locking screws in the plate head maintain stability.
- Tapered, rounded plate end facilitates minimally invasive insertion.

MJ 257S	Standard
MJ 258S	Small
MJ 259L	Left
MJ 259R	Right





Wedge for Osteotomy Plate



MJ 260.8	8mm
MJ 260.10	10mm
MJ 260.12	12mm

INSTRUMENT SET

ACL PCL Instrument Set (Small)



AT901.01	Drill Guide
AT901.02	ACL Elbow Aimer
AT901.04	PCL Tibial Aimer
AT901.05	PCL Femoral Aimer
AT901.07	4-Point Bullet
AT901.12	Flowertip Femoral Reamer 7mm - Cannulated
AT901.14	Flowertip Femoral Reamer 8mm - Cannulated
AT901.16	Flowertip Femoral Reamer 9mm - Cannulated
AT901.18	Flowertip Femoral Reamer 10mm - Cannulated
AT901.20	Flowertip Femoral Reamer 11mm - Cannulated
AT901.29	Cannulated Drill Bits, 7mm
AT901.31	Cannulated Drill Bits, 8mm
AT901.33	Cannulated Drill Bits, 9mm
AT901.35	Cannulated Drill Bits, 10mm
AT901.37	Cannulated Drill Bits, 11mm
AT901.44	Depth Gauge For ACL & PCL Reconstruction
AT901.49	Endofemoral Aimer Offset 7mm (Transtibial)
AT901.50	Arthroscopic Probes
AT901.54	Chondral Pick 40°
AT901.57	Tendon Strippers Closed 7.4mm X 13.5" W.L.
AT901.58	Tendon Strippers Slotted 5mm X 12" W.L.
AT901.59	Compound Curve Rasp

AT901.60	Convex Rasp
AT901.65	PCL Tibial Rasp
AT901.66	PCL Femoral Elevators
AT901.67	Cannulated Endoscopic Reamer, Dia 4.5mm
AT901.69	Graft Passing Pin (Beath Pin) Drill Tip 2.4mm X15"
AT901.74	Tunnel Dilators Cannulated 8mm
AT901.76	Tunnel Dilators Cannulated 9mm
AT901.78	Tunnel Dilators Cannulated 10mm
AT901.83	Bone Tunnel Plugs, Small, 7-8mm
AT901.84	Bone Tunnel Plugs, Medium, 9-10mm
AT901.86S	Graft Preparation Board - Small
AT901.87	Graft Board Sliding Base
AT901.88	Graft Board Tissue Grasper
AT901.89	Graft Board Cutting Strip
AT901.90	Graft Board Slotted Sizing Block
AT901.91	Loop Holder
AT901.92	Suture Vise With Tensiometer
AT901.97	Notchmaster Angled Curette 8mm
AT901.98	Universal Endofemoral Aimer Handle
AT901.99	Impactor Of Spiked Ligament Stapple
AT901.100	Cannulated Screw Driver For Interference Screw
AT901.101	Quick Coupling T Handle
AT901.109	Graphical Case For ACL PCL Instrument Set - Small


Optional Instruments (Available On Request)

AT901.03	ACL Tip Aimer
AT901.06	Angled Bullet
AT901.08	Flowertip Femoral Reamer 5.0mm - Cannulated
AT901.09	Flowertip Femoral Reamer 5.5mm - Cannulated
AT901.10	Flowertip Femoral Reamer 6.0mm - Cannulated
AT901.11	Flowertip Femoral Reamer 6.5mm - Cannulated
AT901.13	Flowertip Femoral Reamer 7.5mm - Cannulated
AT901.15	Flowertip Femoral Reamer 8.5mm - Cannulated
AT901.17	Flowertip Femoral Reamer 9.5mm - Cannulated
AT901.19	Flowertip Femoral Reamer 10.5mm - Cannulated
AT901.21	Flowertip Femoral Reamer 11.5mm - Cannulated
AT901.22	Flowertip Femoral Reamer 12.0mm - Cannulated
AT901.23	Flowertip Femoral Reamer 12.5mm - Cannulated
AT901.24	Flowertip Femoral Reamer 13.0mm - Cannulated
AT901.25	Cannulated Drill Bits, 5.0mm
AT901.26	Cannulated Drill Bits, 5.5mm
AT901.27	Cannulated Drill Bits, 6.0mm
AT901.28	Cannulated Drill Bits, 6.5mm
AT901.30	Cannulated Drill Bits, 7.5mm
AT901.32	Cannulated Drill Bits, 8.5mm
AT901.34	Cannulated Drill Bits, 9.5mm
AT901.36	Cannulated Drill Bits, 10.5mm
AT901.38	Cannulated Drill Bits, 11.5mm
AT901.39	Cannulated Drill Bits, 12.0mm
AT901.40	Cannulated Drill Bits, 12.5mm
AT901.41	Cannulated Drill Bits, 13.0mm
AT901.42	Cannulated Drill Bits, 13.5mm
AT901.43	Cannulated Drill Bits, 14.0mm
AT901.45	Endofemoral Aimer Offset 3mm (Transtibial)
AT901.46	Endofemoral Aimer Offset 4mm (Transtibial)
AT901.47	Endofemoral Aimer Offset 5mm (Transtibial)
AT901.48	Endofemoral Aimer Offset 6mm (Transtibial)
AT901.52	Chondral Pick 20°
AT901.55	Chondral Pick 90°

AT901.56	Tendon Strippers Closed 6.4mm X 12" W.L.
AT901.61	Half Round Rasp 5mm
AT901.62	Half Round Rasp 6mm
AT901.63	Half Round Rasp 7mm
AT901.64	Half Round Rasp 8mm
AT901.68	Cannulated Endoscopic Reamer For Loop, Dia 4.7mm
AT901.70	Tunnel Dilators Cannulated 6mm
AT901.71	Tunnel Dilators Cannulated 6.5mm
AT901.72	Tunnel Dilators Cannulated 7.0mm
AT901.73	Tunnel Dilators Cannulated 7.5mm
AT901.75	Tunnel Dilators Cannulated 8.5mm
AT901.77	Tunnel Dilators Cannulated 9.5mm
AT901.79	Tunnel Dilators Cannulated 10.5mm
AT901.80	Tunnel Dilators Cannulated 11.0mm
AT901.81	Tunnel Dilators Cannulated 11.5mm
AT901.82	Tunnel Dilators Cannulated 12.0mm
AT901.85	Bone Tunnel Plugs, Large, 11-12mm
AT901.86L	Graft Preparation Board - Large
AT901.93	Tensioning Post
AT901.94	Graft Board Btb Holder
AT901.95	PCL Tibial Curette - Closed
AT901.96	PCL Tibial Curette - Open
AT901.102	Suture Vise
AT901.103	Graphical Case For Graft Preparation Board
AT901.104	Graphical Case For ACL PCL Instrument Set
AT901.105	Tendon Strippers Slotted 6mm X 12" W.L.
AT901.106	Tendon Strippers Slotted 7mm X 12" W.L.
AT901.108.S	Gulde Wire For Interference Screw 1.8X300mm, Steel
AT901.108.N	Gulde Wire For Interference Screw 1.8X300mm, Nitinol


INSTRUMENT SET

Shoulder Arthroscopy Instrument Set





AT903.01	Reusable Cannula Introducer 5.5mm
AT903.02	Reusable Cannula Introducer 8mm
AT903.03	Switching Stick
AT903.04	Labral Probe
AT903.05	Crochet Hook
AT903.06	Knot Pusher
AT903.07	Tissue Elevator - 15° up
AT903.08	Tissue Elevator - 15° Down
AT903.09	Tissue Elevator - 30° Down
AT903.10	Glenoid Rasp – up
AT903.11	Glenoid Rasp – Down
AT903.12	Ring Curette 5.4mm - Both side
AT903.16	Nitinol Wire Loop for Reusable Suture Passer
AT903.17	Reusable Suture Passer 25°, Left
AT903.18	Reusable Suture Passer 25°, Right
AT903.19	Reusable Suture Passer 45°, Left
AT903.20	Reusable Suture Passer 45°, Right
AT903.21	Reusable Suture Passer, Crescent Straight
AT903.22	Graphical Case for Shoulder Instrument Set

Latarjet Glenoid Bone Loss Instrument Set



AT907.01.10	Parallel Drill Guide 10mm
AT907.01.15	Parallel Drill Guide 15mm
AT907.02.4	Offset Insert For Parallel Drill Guide 4mm
AT907.02.6	Offset Insert For Parallel Drill Guide 6mm
AT907.02.8	Offset Insert For Parallel Drill Guide 8mm
AT907.03	Coracoid Drill Guide
AT907.04	Cannulated Screw Driver
AT907.05	Drill Bit, 4.0mm
AT907.06	Cannulated Drill Bit, Ø2.7mm
AT907.07	Depth Gauge
AT907.08	1.2mm Guide Wire, 6" Long
AT907.09	Kolbel Glenoid Retractor
AT907.10	Fukuda Retractor, Small
AT907.11	Gelpi Retractor (G04.02170)
AT907.12	Shoulder Retractor (G04.13110)
AT907.12.25	Blade 25mm Set (G04.1425)
AT907.12.40	Blade 40mm Set (G04.1440)
AT907.12.55	Blade 55mm Set (G04.1455)
AT907.13	Weitlaner Retractor (G04.06180)

High Tibial Osteotomy Instrument Set



1940.01	Alignment Rod, SS
1940.02	Handle For Alignment Rod
1940.03	Stand, Large, For Alignment Rod, With Handles
1940.04	Stand, Small, For Alignment Rod
1940.05	Ruler, Stainless Steel
1940.06	Parallel Drill Guide 2.5mm
1940.07	3.5mm Screwdriver, Hexagonal
1940.08	Torque-Limiting Screwdriver 3.5, For Locking Screws Ø5.0 mm
1940.09	Depth Gauge For Screws, Measuring Range Up To 100mm
1940.10	Drill Sleeve 5.0, For Drill Bit 4.3 mm
1940.11	Centering Sleeve For Kirschner Wire 2.0 mm
1940.12	5.0mm/4.5 mm Drill Sleeve, With 4.3 mm Drill Bit
1940.13	Osteotomy Gap Measuring Device

1940.14	Bone Spreader
1940.15	Bone Spreader, Width 8 mm, Length 210 mm
1940.16	Osteotomy Chisel, Width 10 mm
1940.17	Osteotomy Chisel, Width 15 mm
1940.18	Osteotomy Chisel, Width 20 mm
1940.19	Osteotomy Chisel, Width 25 mm
1940.20	Drill Bit 4.3 mm With Stop, Length 221 mm
1940.21	Drill Bit 3.2 mm
1940.22	TAP 4.5mm (T-HANDLE)
1940.23	Block For Standard Plate
1940.24	Block For Small Plate
1940.25	Guide Wire 2mmx280mm
1940.26	Guide Wire 2.5mmx280mm
1940.27	Graphical Case With Tray


Meniscal Repair Set (Inside-out- Technique) Instrument Set



AT904.01	Double Lumen Cannula, curved up-right
AT904.02	Double Lumen Cannula, curved up-left
AT904.03	Double Lumen Cannula, straight
AT904.04	Double Lumen Cannula, curved left/right
AT904.05	Double Lumen Cannula, curved up/down
AT904.06	Single Cannula (2 included with set)
AT904.07	Posterior Access Cannula
AT904.08	Needle Pusher
AT904.09	Cannula Bender
AT904.10	Graphical Case For Meniscal Repair Set (Inside-Out Technique)

INSTRUMENT SET


Tenodesis Instrument Set



AT905.01.40	Cannulated Drill 4.0mm
AT905.01.45	Cannulated Drill 4.5mm
AT905.01.50	Cannulated Drill 5.0mm
AT905.01.55	Cannulated Drill 5.5mm
AT905.01.60	Cannulated Drill 6.0mm
AT905.01.70	Cannulated Drill 7.0mm
AT905.01.80	Cannulated Drill 8.0mm
AT905.02	Solid Screw Driver For Ø4.0mm Screw
AT905.03	Solid Screw Driver For Ø4.5, 5.0, 5.5 & 6.0mm Screw
AT905.05	Solid Screw Driver For Ø7.0 & 8.0mm Screw
AT905.06	Cannulated Screw Driver For Ø4.5, 5.0, 5.5 & 6.0mm Screw
AT905.08	Cannulated Screw Driver For Ø7.0 & 8.0mm Screw


AT905.10	Screw Driver Sleeve For Ø4.5, 5.0, 5.5 & 6.0mm Screw
AT905.11	Screw Driver Sleeve For Ø7.0 & 8.0mm Screw
AT905.12	Graft Sizing Block
AT905.13	Quick Coupling
AT905.14.40	Tissue Protector Sleeve For 4.0mm Reamer
AT905.14.45	Tissue Protector Sleeve For 4.5mm Reamer
AT905.14.50	Tissue Protector Sleeve For 5.0mm Reamer
AT905.14.55	Tissue Protector Sleeve For 5.5mm Reamer
AT905.14.60	Tissue Protector Sleeve For 6.0mm Reamer
AT905.14.70	Tissue Protector Sleeve For 7.0mm Reamer
AT905.14.80	Tissue Protector Sleeve For 8.0mm Reamer
AT905.15	Universal Handle For Sleeves
AT905.16	Depth Gauge
AT905.17	1.6mm Guide Wire
AT905.18	Suture Passer

Meniscal Root Repair Instrument Set



AT901.01	Drill Guide
AT901.107.L	Meniscal Root Repair Aimer Curve - Left
AT901.107.R	Meniscal Root Repair Aimer Curve - Right
AT901.07	4-Point Bullet
AT901.69	Graft Passing Pin (Beath Pin) Drill Tip 2.4mmx15"
AT901.110	Meniscal Open Curettes
AT901.111	Meniscal Root Repair Offset Guide
AT901.113	Graphical Case

Acromioclavicular (AC) Joint Repair Instrument Set



AT910.01	AC Drill Guide
AT910.02	AC Aimer, Left
AT910.03	AC Aimer, Right
AT910.04.3	Drill Sleeve, 3.2mm
AT910.04.4	Drill Sleeve, 4.2mm
AT910.05	Cannulated Drill, 2.4mm
AT910.06	Cannulated Drill, 3.0mm
AT910.07	Drill, 3.6mm
AT910.08	Cannulated Drill, 4.0mm

All Inside ACL-PCL Reconstruction Instrument Set




AT912.01	Drill Guide
AT912.02	Drill Sleeve, Stepped - 7mm
AT912.03	Retrograde Reamer (Disposable)
AT912.04	Femoral ACL Marking Aimer
AT912.05	Femoral PCL Marking Aimer
AT912.06L	Femoral Footprint ACL Aimer - Left
AT912.06R	Femoral Footprint ACL Aimer - Right
AT912.07	Tibial ACL Marking Aimer
AT912.08	Tibial PCL Marking Aimer
AT912.09	Graphical Case for All Inside ACL-PCL Reconstruction Instrument Set

Suture Cutter



AT906.01	Suture Cutter
----------	---------------

INSTRUMENT SET




AT906.03S Bird Beak Straight



AT906.03U Bird Beak Upward



AT906.07 Suture Retriever Straight



AT906.08 Fiber Tape Retriever



AT906.11 Grasper Hook Jaw



AT906.09 Combination Teeth Grasper



AT906.12 Retriever - Tissue Grasper





CONTACTO

www.magran.com.mx
contacto@magran.com.mx
Instagram @magran_mx
[81] 2861 6122 | [81] 1611 0698
S.P.G.G. | NL | MX